

Sunova-eFox-WP Series is an off-grid energy storage system, which can connect solar panel, grid (or generator) and load. It has built-in LFP battery, off-grid inverter and battery management system (BMS). It has multiple work modes to meet lots of application scenarios, and reduce the electricity bill store the energy for emergency back-up.







Model	Sunova-eFox-WP-35E	Sunova-eFox-WP-50E
Battery		
Rated voltage	51.2V	51.2V
Voltage range	44.8 ~ 57.6V	44.8 ~ 57.6V
Capacity	10.24kWh	10.24kWh
Max. discharge rate	0.7C	0.7C
Max. charge rate	0.5C	0.5C
Battery type	Li-ion (LFP)	Li-ion (LFP)
AC Output(Backup)		
Rated power	3500W	5000W
Surge power	7000W,5s	10000W,5s
Rated output voltage	220/230/240V	220/230/240V
Max. output current	16A	22A
Rated frequency	50/60Hz	50/60Hz
THDv	<3%	<3%
Output wave	Pure Sine Wave	Pure Sine Wave
Output type	Pluggable connector	Pluggable connector
AC Input		
AC input voltage range	170~280V	170~280V
AC input frequency	50/60Hz	50/60Hz
AC charge current (Battery)	30A(0~60A Adjustable)	30A(0~80A Adjustable)
PV Input		
Max. PV power (Recommended)	4500W	6000W
Max. PV voltage	450V	450V
MPPT voltage range	120~430V	120~430V
Max PV charge current (Battery)	80A	100A
General Data		
Operating temperature	0 ~ 50°C	0 ~ 50℃
Storage temperature	-15°C ~ 60°C	-15°C ~ 60°C
Humidity	5% ~ 95%	5% ~ 95%
Cooling strategy	Fan	Fan
Weight	120kg	120kg
Dimension [W x H x D]	660*1150*200 mm	660*1150*200 mm
Enclosure protection rating	IP44	IP44
Communication	WiFi/RS485	WiFi/RS485
Certificate	CE,UN38.3,TUV mark	

12